

FIG.1 (RELATED ART)

2/12




FIG. 2 (RELATED ART)

3/12




FIG. 3




FIG. 4

4/12




FIG. 5




FIG. 6

5/12




FIG. 7




FIG. 8

6/12




FIG. 9




FIG. 10

7/12

LIGHT SOURCE	SAMPLE	PBS-OPTO-ELASTIC CONSTANT ($10^{-8}\text{cm}^2/\text{N}$)				RESULTS
		1ST	2ND	3RD	4TH	
100 W	SAMPLE 1	2.77(BK7)	2.77(BK7)	2.77(BK7)	2.77(BK7)	△
	SAMPLE 2	1.8(SF1)	2.77(BK7)	2.77(BK7)	2.77(BK7)	○
	SAMPLE 3	1.36(SF4)	2.77(BK7)	2.77(BK7)	2.77(BK7)	◎
150 W	SAMPLE 4	2.77(BK7)	2.77(BK7)	2.77(BK7)	2.77(BK7)	×
	SAMPLE 5	1.8(SF1)	1.8(SF1)	1.8(SF1)	2.77(BK7)	△
	SAMPLE 6	1.36(SF4)	1.36(SF4)	1.36(SF4)	2.77(BK7)	○
	SAMPLE 7	1.36(SF4)	1.8(SF1)	1.8(SF1)	2.77(BK7)	○
	SAMPLE 8	0.65(PBH6W)	2.62(SF2)	2.62(SF2)	2.62(SF2)	○
	SAMPLE 9	0.65(PBH6W)	1.8(SF1)	1.8(SF1)	2.62(SF2)	◎
200 W	SAMPLE 10	1.8(SF1)	1.8(SF1)	1.8(SF1)	1.8(SF1)	×
	SAMPLE 11	0.65(PBH6W)	2.62(SF2)	2.62(SF2)	2.62(SF2)	△
	SAMPLE 12	0.65(PBH6W)	1.8(SF1)	1.8(SF1)	2.62(SF2)	○
	SAMPLE 13	0.65(PBH6W)	0.65(PBH6W)	0.65(PBH6W)	2.62(SF2)	◎
	SAMPLE 14	0.03(PBH55)	0.65(PBH6W)	0.65(PBH6W)	0.65(PBH6W)	◎
	SAMPLE 15	0.03(PBH55)	0.03(PBH55)	0.03(PBH55)	2.62(SF2)	◎

FIG.11





(GRADE)	(EVALUATION CRITERIA)
	× USELESS DUE TO MUCH BIREFRINGENCE
	△ USEFUL ONLY FOR LOW-QUALITY PROJECTION DISPLAY
	○ BIREFRINGENCE NOTICED BY CLOSE OBSERVATION
	◎ NO BIREFRINGENCE OBSERVED

FIG.12

8/12




FIG.13

9/12




FIG.14

10/12




FIG.15

11/12




FIG. 16

12/12




FIG.17